

Australian/New Zealand Standard™

Procedure for specimen collection and the detection and quantification of drugs in oral fluid

This is a free 8 page sample. Access full version online.



AS/NZS 4760:2019

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CH-039, Detection of Drugs in Oral Fluids. It was approved on behalf of the Council of Standards Australia on 15 February 2019 and by the New Zealand Standards Approval Board on 30 January 2019. This Standard was published on 11 March 2019.

The following are represented on Committee CH-039:

Australasian Association of Clinical Biochemists
Australasian Medical Review Officers Association
Australian Association of Forensic Physicians
Australian Chamber of Commerce and Industry
Australian Council of Trade Unions
Australian Industry Group
Eastland Wood Council, New Zealand
Forensic and Clinical Toxicology Association
Forensic Science SA
Institute of Environmental Science and Research, New Zealand
IVD Australia
National Association of Testing Authorities Australia
National Institute of Forensic Science
New Zealand Council of Trade Unions
New Zealand Forestry Owners Association
New Zealand Manufacturers and Construction Workers Union
Pathwest
Royal Australasian College of Physicians
Royal College of Pathologists of Australasia
Victorian Institute of Forensic Medicine

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4760:2018.

Australian/New Zealand Standard™

Procedure for specimen collection and the detection and quantification of drugs in oral fluid

Originated in Australia as AS 4760—2006.
Jointly revised and redesignated as AS/NZS 4760:2019.

COPYRIGHT

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

ISBN 978 1 76072 398 9

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee CH-039, Detection of Drugs in Oral Fluid, to supersede AS 4760—2006.

The objective of this Standard is to ensure that the detection of drugs in oral fluid meets the expectations for testing of specimens for applications such as workplace, medico-legal, or court-directed purposes. This Standard is not intended for clinical use or for drug exposure detection in sport, but it may be used if deemed relevant. This Standard addresses procedures for the collection of oral fluid, on-site drug testing, handling and dispatch of specimens to the laboratory for screening tests (if applicable) and confirmatory testing.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ are used in Standards to define the application of the appendices to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is for information and guidance only.

CONTENTS

	<i>Page</i>
FOREWORD.....	5
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE AND APPLICATION	6
1.2 REFERENCED DOCUMENTS	6
1.3 DEFINITIONS.....	7
SECTION 2 COLLECTION, STORAGE, HANDLING AND DISPATCH	
2.1 GENERAL.....	12
2.2 COLLECTION SITE	12
2.3 INTEGRITY AND IDENTITY OF THE COLLECTED SPECIMEN.....	13
2.4 PREPARATION FOR DISPATCH.....	14
2.5 TRANSPORTATION TO THE LABORATORY	15
SECTION 3 GENERAL LABORATORY REQUIREMENTS	
3.1 GENERAL.....	16
3.2 REAGENTS	16
3.3 APPARATUS	16
3.4 LABORATORY SECURITY.....	16
3.5 SPECIMEN RECEPTION AND GENERAL ACCEPTANCE CRITERIA.....	17
3.6 RECONCILIATION OF TEST RESULTS.....	17
3.7 STORAGE OF SPECIMEN	17
SECTION 4 LABORATORY SCREEN TESTING	
4.1 GENERAL.....	19
4.2 METHOD	19
4.3 LABORATORY SECURITY, SPECIMEN RECEPTION AND STORAGE OF SPECIMENS	19
4.4 RESPONSIBILITIES AND PERSONNEL.....	19
4.5 NUMBER OF DETERMINATIONS	20
4.6 CALIBRATION.....	20
4.7 BLANK DETERMINATION.....	20
4.8 QUALITY CONTROL	20
4.9 SCREENING TEST CUT-OFF LEVELS.....	20
4.10 ACCEPTANCE CRITERIA	20
4.11 INTERPRETATION OF RESULTS	21
4.12 REPORTING OF RESULTS.....	22
4.13 RECORD KEEPING	23
SECTION 5 LABORATORY CONFIRMATORY PROCEDURES	
5.1 SCOPE.....	24
5.2 PRINCIPLE.....	24
5.3 APPARATUS	24
5.4 LABORATORY SECURITY, SPECIMEN RECEPTION AND STORAGE OF SPECIMENS	24
5.5 RESPONSIBILITIES AND PERSONNEL.....	24
5.6 CONFIRMATORY PROCEDURES.....	25
5.7 INSTRUMENTATION	25
5.8 NUMBER OF DETERMINATIONS	26

	<i>Page</i>
5.9 INSTRUMENT SETUP.....	26
5.10 BLANK DETERMINATION.....	26
5.11 QUALITY CONTROL.....	26
5.12 CALCULATIONS.....	26
5.13 UNCERTAINTY OF MEASUREMENT.....	26
5.14 ACCEPTANCE CRITERIA.....	27
5.15 TEST REPORT.....	29
5.16 RECORD KEEPING.....	30
5.17 DISPUTED RESULTS.....	30
APPENDICES	
A ON-SITE SCREENING TEST PROCEDURE.....	31
B ADDITIONAL TESTING.....	36
C VERIFICATION OF PERFORMANCE OF DEVICES USED FOR THE COLLECTION, ON-SITE TESTING, TRANSPORT AND STORAGE OF ORAL FLUID SPECIMENS.....	37
D RECOMMENDED PRECAUTIONS FOR HANDLING BIOLOGICAL SPECIMENS.....	39
E PRINCIPLES OF OPERATION.....	41

FOREWORD

An oral fluid specimen may be used to provide an indication of relatively recent drug exposure at a workplace or at the roadside for drivers, but may also have other applications. For some drugs, there is a relationship between a blood or plasma concentration of drug and oral fluid concentration which may allow an inference of relatively recent exposure to drugs to be made (within hours) compared to the longer window of detection in urine (days to weeks). There is no relationship between oral fluid concentration and urine concentration and it is not appropriate to relate the presence of drugs in oral fluid to impairment, but rather to relatively recent exposure.

This Standard sets out the procedures for the collection and testing of oral fluid for drugs and its packaging and transportation to a laboratory. It allows for the screening test of oral fluid at the site of collection (on-site testing) or the conduct of a screening test in a laboratory. Negative results from screening tests are reported at this stage. Confirmatory testing of a not-negative or unconfirmed result is performed in a laboratory using a validated and appropriate mass spectrometry method.

Oral fluid can be obtained by 'spitting' or by absorption onto an absorbent material or through employing a device that stimulates production of oral fluid. A number of such devices are available to facilitate the collection process. Due to the relative ease of obtaining oral fluid, collection does not require specialist medical or paramedical experience (c.f. blood collection) or special collection facilities (c.f. urine collection). The volume of oral fluid is invariably low and this will often restrict the number of tests that can be conducted without the need for repeat collection. Occasionally, subjects will be unable to provide oral fluid when required.

The techniques available for testing of oral fluid are similar to urine testing but the target analyses may be different. The most convenient technique for a screening test is immunoassay and devices are available for on-site screening tests. Laboratory-based screening tests and confirmatory testing procedures are similar to those used for other biological fluids.

As the results of both on-site and laboratory screening are used as part of the evidentiary process together with confirmatory testing, it is necessary to ensure that on-site and laboratory screening tests are equally fit-for-purpose with their results deemed to be substantially similar. For on-site screening tests, this necessitates the implementation of procedures, such as quality controls, proficiency testing, verification of collection, testing and transportation devices as fit-for-purpose and competency based training. A hard copy of the initial test results if available may be retained for evidentiary purposes, e.g. photograph or print out.

These procedures have been a requirement for laboratory testing in this Standard since its inception and provide confidence in the quality of results obtained.

A report is issued to a nominated representative of the requesting authority and/or collection facility. It is recommended that all negative and confirmed positive results are managed by a suitably qualified person or expert with appropriate training in drug testing and result interpretation.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard**Procedure for specimen collection and the detection and quantification
of drugs in oral fluid**

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE AND APPLICATION**1.1.1 Scope**

This Standard sets out procedures for oral fluid specimen collection, storage, handling, on-site screening tests and, if required, dispatch to the laboratory. It also covers applicability of oral fluid for drug testing and general issues related to drug screening on-site and drug screening and/or confirmation in the laboratory.

1.1.2 Application

Oral fluid specimens collected under this Standard shall only be used for the specific purpose of drug analysis and not for other purposes such as DNA testing.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

- AS
2162 Verification and use of volumetric apparatus
Part 1: General—Volumetric glassware
Part 2: Guide to the use of piston-operated volumetric apparatus (POVA)
- AS/NZS
2243 Safety in laboratories
Part 1: Planning and operational aspects
Part 2: Chemical aspects
Part 3: Microbiological safety and containment
- AS ISO
15189 Medical laboratories—Requirements for quality and competence
- AS/NZS ISO/IEC
17025 General requirements for the competence of testing and calibration laboratories
- ISO
3696 Water for analytical laboratory use—Specification and test methods
- ISO/IEC
Guide 98-3 Uncertainty of measurement
Part 3: Guide to the expression of uncertainty in measurement (GUM: 1995)
- IATA
International Air Transport Association
Guidelines for shipping infectious substances and diagnostic specimens
- NPAAC
National Pathology Accreditation Advisory Council
Retention of laboratory records and diagnostic material